

“I Got the Moves Like Robot”: A Comparative Analysis of Dynamic Movement Primitives and Classical Kinematic Trajectories

Ghalia Fohami (gf2494@nyu.edu), Supervisor: Fares Abu-Dakka

When a robot's target goal is dynamically shifted mid-flight, how do Dynamic Movement Primitives compare to classical polynomial trajectories in terms of joint velocity smoothness and mathematical adaptability?

1 Introduction

Objective: Compare two robotics applications under realistic and sudden movement constraints to address the core research question.

Methodology: Conduct comparative analyses using high-frequency numerical simulation sandboxes.

Evaluation: Map resulting trajectory profiles against the constraints of 5-DOF and 7-DOF manipulator architectures.

2 Architecture & Frameworks

Classical Quintic Polynomial Framework: Governed by fifth-order polynomials and matrix algebra calculations.

$$y(t) = c_0 + c_1t + c_2t^2 + c_3t^3 + c_4t^4 + c_5t^5$$

Dynamic Movement Primitive Framework: Governed by second-order differential equations through a mass-spring damper system and an attractor variable which updates with movement.

$$\tau \dot{z} = \alpha_z(\beta_z(g - y) - z) + f(x)$$






3 Methodology

Phase 1: Physical Hardware Motivation & Constraints:

Phase 2: Standalone Python Mathematical Sandbox

Phase 3: Experimental Stress Testing (750 Timesteps)

Phase 4: Comparative Results & Feasibility Analysis



Results & Discussion 4

Baseline Performance: The Franka Panda CLIK system validates baseline static tracking, showing error decay to zero across all operational states.

Polynomial Failure: Mid-flight target shifts induce boundary crises in quintic replanning, causing velocity spikes that exceed hardware limits.

DMP Attractor Absorption: Canonical spring-damper dynamics absorb perturbations seamlessly through critically damped, transient acceleration spikes.

Deployment Feasibility: DMP guarantees bounded spatial velocities, ensuring downstream hardware safety in dynamic settings.

Key Takeaway: DMPs are the mathematically superior paradigm when a robot's target goal is dramatically shifted mid-flight.

Key Citations 5

- [1] Matteo Saveriano, Fares J. Abu-Dakka, Aljaz Kramberger, & Luka Pernetel (2021). Dynamic Movement Primitives in Robotics: A Tutorial Survey. CoRR, abs/2102.03861.
- [2] R. S. Sharma, S. Shukla, H. Karki, A. Shukla, L. Behera and V. K.S., “DMP Based Trajectory Tracking for a Nonholonomic Mobile Robot With Automatic Goal Adaptation and Obstacle Avoidance,” 2019 International Conference on Robotics and Automation (ICRA), Montreal, QC, Canada, 2019, pp. 8613-8619, doi: 10.1109/ICRA.2019.8793911.
- [3] Ijspeert, A.J. & Nakanishi, Jun & Hoffmann, Heiko & Pastor, Peter & Schaal, Stefan. (2013). Dynamical Movement Primitives: Learning Attractor Models

Acknowledgements 6

I would like to express my sincere gratitude to my supervisor, Professor Fares Abu-Dakka for his invaluable guidance, encouragement, and insightful feedback throughout the course of this research project. Special thanks to the postgrads, PhD students, and all members of the NYU Abu Dhabi Robot Learning & Control Lab (REACH) for their constant support and technical expertise. I would also like to extend my gratitude towards the Laidlaw Foundation for their confidence and support in making this research project exist.